


GMK Plastic Accessories — LockNuts—Metric thread

CE RoHS



Material: PA
 Working temperature: -40°C to 100°C
 Color: Black(RAL9005), Grey(RAL7035)
 Fire resistance: UL94-V2




P/N	Thread Size IG	H mm	SW mm	Reference No. (Grey)	Reference No. (Black)	
GMK.M12(B/G)	M12X1.5	5	19	9 00 009 0120 1	9 00 009 0120 2	200
GMK.M16(B/G)	M16X1.5	5	22	9 00 009 0160 1	9 00 009 0160 2	200
GMK.M18(B/G)	M18X1.5	5	24	9 00 009 0180 1	9 00 009 0180 2	200
GMK.M20(B/G)	M20X1.5	6	27	9 00 009 0200 1	9 00 009 0200 2	200
GMK.M22(B/G)	M22X1.5	6	30	9 00 009 0220 1	9 00 009 0220 2	200
GMK.M25(B/G)	M25X1.5	6	32	9 00 009 0250 1	9 00 009 0250 2	200
GMK.M32(B/G)	M32X1.5	7	41	9 00 009 0320 1	9 00 009 0320 2	100
GMK.M40(B/G)	M40X1.5	8	50	9 00 009 0400 1	9 00 009 0400 2	100
GMK.M50(B/G)	M50X1.5	8	60	9 00 009 0500 1	9 00 009 0500 2	60
GMK.M63(B/G)	M63X1.5	8	75	9 00 009 0630 1	9 00 009 0630 2	60

GMK Plastic Accessories — LockNuts-PG thread

CE RoHS



Material: PA
 Working temperature: -40°C to 100°C
 Color: Black(RAL9005), Grey(RAL7035)
 Fire resistance: UL94-V2




P/N	Thread Size IG	H mm	SW mm	Reference No. (Grey)	Reference No. (Black)	
GMK.PG7(B/G)	PG7	5	19	9 00 009 1070 1	9 00 009 1070 2	200
GMK.PG9(B/G)	PG9	5	22	9 00 009 1090 1	9 00 009 1090 2	200
GMK.PG11(B/G)	PG11	5	24	9 00 009 1110 1	9 00 009 1110 2	200
GMK.PG13.5(B/G)	PG13.5	6	27	9 00 009 1130 1	9 00 009 1130 2	200
GMK.PG16(B/G)	PG16	6	30	9 00 009 1160 1	9 00 009 1160 2	200
GMK.PG21(B/G)	PG21	7	36	9 00 009 1210 1	9 00 009 1210 2	100
GMK.PG29(B/G)	PG29	7	45	9 00 009 1290 1	9 00 009 1290 2	100
GMK.PG36(B/G)	PG36	8	60	9 00 009 1360 1	9 00 009 1360 2	60
GMK.PG42(B/G)	PG42	8	65	9 00 009 1420 1	9 00 009 1420 2	60
GMK.PG48(B/G)	PG48	8	70	9 00 009 1480 1	9 00 009 1480 2	20

GMK Plastic Accessories — LockNuts-G Type thread

CE RoHS



Material: PA
 Working temperature: -40°C to 100°C
 Color: Black(RAL9005), Grey(RAL7035)
 Fire resistance: UL94-V2



P/N	Thread Size IG	H mm	SW mm	Reference No. (Grey)	Reference No. (Black)	
GMK.G1/4(B/G)	G1/4"	21	15	9 00 009 2020 1	9 00 009 2020 2	100
GMK.G3/8(B/G)	G3/8"	26.5	22	9 00 009 2030 1	9 00 009 2030 2	100
GMK.G1/2(B/G)	G1/2"	26.5	24	9 00 009 2040 1	9 00 009 2040 2	100
GMK.G3/4(B/G)	G3/4"	31	33	9 00 009 2060 1	9 00 009 2060 2	50
GMK.G1(B/G)	G1"	39	42	9 00 009 2080 1	9 00 009 2080 2	50
GMK.G1.1/4(B/G)	G1-1/4"	47	52	9 00 009 2100 1	9 00 009 2100 2	25
GMK.G1.1/2(B/G)	G1-1/2"	47	60	9 00 009 2120 1	9 00 009 2120 2	25
GMK.G2(B/G)	G2"	47	65	9 00 009 2140 1	9 00 009 2140 2	25