


GM Metal Accessories — LockNuts– Metric thread

CE RoHS



Shell: Brass with Nickle plating

Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GM.M12	M12×1.5	2.8	15	9 00 036 0120 0	50
GM.M16	M16×1.5	2.8	19	9 00 036 0160 0	50
GM.M18	M18×1.5	3.0	21	9 00 036 0180 0	50
GM.M20	M20×1.5	3.0	23	9 00 036 0200 0	50
GM.M22	M22×1.5	3.0	26	9 00 036 0220 0	50
GM.M24	M24×1.5	3.5	28	9 00 036 0240 0	50
GM.M25	M25×1.5	3.5	29	9 00 036 0250 0	20
GM.M27	M27×1.5	4.0	32	9 00 036 0270 0	20
GM.M30	M30×1.5	4.0	34	9 00 036 0300 0	20
GM.M32	M32×1.5	4.0	36	9 00 036 0320 0	20
GM.M33	M33×1.5	4.0	36	9 00 036 0330 0	20
GM.M36	M36×1.5	4.0	40	9 00 036 0360 0	20
GM.M40	M40×1.5	4.5	45	9 00 036 0400 0	10
GM.M42	M42×1.5	5.0	46	9 00 036 0420 0	10
GM.M48	M48×1.5	5.0	55	9 00 036 0480 0	10
GM.M50	M50×1.5	5.5	55	9 00 036 0500 0	10
GM.M56	M56×1.5	5.0	60	9 00 036 0560 0	10
GM.M60	M60×1.5	5.0	65	9 00 036 0600 0	10
GM.M63	M63×1.5	6.0	70	9 00 036 0630 0	5
GM.M64	M64×1.5	6.0	70	9 00 036 0640 0	5

GM Metal Accessories — LockNuts- PG thread

CE RoHS



Shell: Brass with Nickle plating
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GM.PG7	PG7	2.8	15	9 00 036 1070 0	50
GM.PG9	PG9	2.8	18	9 00 036 1090 0	50
GM.PG11	PG11	3	21	9 00 036 1110 0	50
GM.PG13.5	PG13.5	3	23	9 00 036 1130 0	50
GM.PG16	PG16	3	26	9 00 036 1160 0	50
GM.PG21	PG21	3.5	32	9 00 036 1210 0	20
GM.PG29	PG29	4	41	9 00 036 1290 0	20
GM.PG36	PG36	5	51	9 00 036 1360 0	10
GM.PG42	PG42	5	60	9 00 036 1420 0	10
GM.PG48	PG48	5.5	64	9 00 036 1480 0	5

GM Metal Accessories — LockNuts– NPT thread

CE RoHS



Shell: Brass with Nickle plating
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GM.NPT1/4	NPT 1/4"	3.0	14	9 00 036 3030 0	50
GM.NPT3/8	NPT 3/8"	3.0	18	9 00 036 3040 0	50
GM.NPT1/2	NPT 1/2"	3.0	22	9 00 036 3050 0	50
GM.NPT3/4	NPT 3/4"	4.0	30	9 00 036 3060 0	50
GM.NPT1	NPT 1"	4.0	40	9 00 036 3070 0	20
GM.NPT1.1/4	NPT 1-1/4"	5.5	50	9 00 036 3080 0	10
GM.NPT1.1/2	NPT 1-1/2"	5.5	57	9 00 036 3090 0	10
GM.NPT2	NPT 2"	6.0	64	9 00 036 3100 0	5
GM.NPT2.1/2	NPT 2-1/2"	8.5	78	9 00 036 3110 0	5
GM.NPT3	NPT 3"	9.0	98	9 00 036 3120 0	5

GM Metal Accessories — LockNuts- G Type thread

CE RoHS



Shell: Brass with Nickle plating
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GM.G3/8	G3/8"	3	20	9 00 036 2030 0	50
GM.G1/2	G1/2"	4	20	9 00 036 2040 0	50
GM.G1	G1"	4	30	9 00 036 2080 0	25
GM.G3/4	G3/4"	5	40	9 00 036 2060 0	20
GM.G1 1/4	G1 1/4"	5	50	9 00 036 2100 0	20
GM.G1 1/2	G1 1/2"	6	55	9 00 036 2120 0	20
GM.G2	G2"	6	65	9 00 036 2140 0	20
GM.G2 1/2	G2 1/2"	7	80	9 00 036 2160 0	20
GM.G3	G3"	8	95	9 00 036 2180 0	20

GME Metal Accessories — Toothed LockNuts – Metric thread

CE RoHS



Shell: Brass with Nickle plating
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GME.M12	M12×1.5	2.8	15	9 00 037 0120 0	50
GME.M16	M16×1.5	2.8	19	9 00 037 0160 0	50
GME.M20	M20×1.5	3.0	24	9 00 037 0200 0	50
GME.M25	M25×1.5	3.5	30	9 00 037 0250 0	20
GME.M32	M32×1.5	4.5	36	9 00 037 0320 0	20
GME.M40	M40×1.5	5.0	46	9 00 037 0400 0	10
GME.M50	M50×1.5	5.0	60	9 00 037 0500 0	10
GME.M63	M63×1.5	6.0	70	9 00 037 0630 0	5

GME Metal Accessories — Toothed LockNuts – PG thread

CE RoHS



Shell: Brass with Nickle plating
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GME.PG7	PG7	2.8	15	9 00 037 1070 0	50
GME.PG9	PG9	2.8	18	9 00 037 1090 0	50
GME.PG11	PG11	3.0	21	9 00 037 1110 0	50
GME.PG13.5	PG13.5	3.0	23	9 00 037 1130 0	50
GME.PG16	PG16	3.0	26	9 00 037 1160 0	50
GME.PG21	PG21	3.5	32	9 00 037 1210 0	20
GME.PG29	PG29	4.0	41	9 00 037 1290 0	20
GME.PG36	PG36	5.0	51	9 00 037 1360 0	10
GME.PG42	PG42	5.0	60	9 00 037 1420 0	10
GME.PG48	PG48	5.5	64	9 00 037 1480 0	5

GMS Metal Accessories — Stainless Steel LockNuts – Metric thread

CE RoHS



Shell: SUS 304
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GMS.M12	M12×1.5	2.8	15	9 00 038 0120 0	50
GMS.M16	M16×1.5	2.8	19	9 00 038 0160 0	50
GMS.M18	M18×1.5	3.0	21	9 00 038 0180 0	50
GMS.M20	M20×1.5	3.0	24	9 00 038 0200 0	50
GMS.M22	M22×1.5	3.0	26	9 00 038 0220 0	50
GMS.M24	M24×1.5	3.5	28	9 00 038 0240 0	50
GMS.M25	M25×1.5	3.5	30	9 00 038 0250 0	20
GMS.M27	M27×1.5	4.0	32	9 00 038 0270 0	20
GMS.M30	M30×1.5	4.0	34	9 00 038 0300 0	20
GMS.M32	M32×1.5	3.5	36	9 00 038 0320 0	20
GMS.M33	M33×1.5	4.0	36	9 00 038 0330 0	20
GMS.M36	M36×1.5	4.0	40	9 00 038 0380 0	20
GMS.M40	M40×1.5	5.0	46	9 00 038 0400 0	10
GMS.M42	M42×1.5	5.0	46	9 00 038 0420 0	10
GMS.M48	M48×1.5	5.0	55	9 00 038 0480 0	10
GMS.M50	M50×1.5	5.0	57	9 00 038 0500 0	10
GMS.M56	M56×1.5	5.0	60	9 00 038 0560 0	10
GMS.M60	M60×1.5	5.0	65	9 00 038 0600 0	10
GMS.M63	M63×1.5	6.0	70	9 00 038 0630 0	5
GMS.M64	M64×1.5	6.0	70	9 00 038 0640 0	5

GMS Metal Accessories — Stainless Steel LockNuts – PG thread

CE RoHS



Shell: SUS 304
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GMS.PG7	PG7	2.8	17	9 00 038 1070 0	50
GMS.PG9	PG9	2.8	22	9 00 038 1090 0	50
GMS.PG11	PG11	3.0	22	9 00 038 1110 0	50
GMS.PG13.5	PG13.5	3.0	24	9 00 038 1130 0	50
GMS.PG16	PG16	3.0	27	9 00 038 1160 0	50
GMS.PG21	PG21	3.5	32	9 00 038 1210 0	20
GMS.PG29	PG29	4.0	41	9 00 038 1290 0	20
GMS.PG36	PG36	5.0	50	9 00 038 1360 0	10

GMS Metal Accessories — Stainless Steel LockNuts – NPT thread

CE RoHS



Shell: SUS 304
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GMS.NPT1/4	NPT 1/4"	3.0	14	9 00 038 3030 0	50
GMS.NPT3/8	NPT 3/8"	3.0	18	9 00 038 3040 0	50
GMS.NPT1/2	NPT 1/2"	3.0	22	9 00 038 3050 0	50
GMS.NPT3/4	NPT 3/4"	4.0	30	9 00 038 3060 0	50
GMS.NPT1	NPT 1"	4.0	40	9 00 038 3070 0	20
GMS.NPT1.1/4	NPT 1-1/4"	5.5	50	9 00 038 3080 0	10
GMS.NPT1.1/2	NPT 1-1/2"	5.5	57	9 00 038 3090 0	10
GMS.NPT2	NPT 2"	6.0	64	9 00 038 3100 0	5
GMS.NPT2.1/2	NPT 2-1/2"	8.5	78	9 00 038 3110 0	5
GMS.NPT3	NPT 3"	9.0	98	9 00 038 3120 0	5

GMS Metal Accessories — Stainless Steel LockNuts – G Type thread

CE RoHS



Shell: SUS 304
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GMS.G3/8	G3/8"	3	20	9 00 038 2030 0	50
GMS.G1/2	G1/2"	4	20	9 00 038 2040 0	50
GMS.G1	G1"	4	30	9 00 038 2080 0	25
GMS.G3/4	G3/4"	5	40	9 00 038 2060 0	20
GMS.G1 1/4	G1 1/4"	5	50	9 00 038 2100 0	20
GMS.G1 1/2	G1 1/2"	6	55	9 00 038 2120 0	20
GMS.G2	G2"	6	65	9 00 038 2140 0	20
GMS.G2 1/2	G2 1/2"	7	80	9 00 038 2160 0	20
GMS.G3	G3"	8	95	9 00 038 2180 0	20

GMES Metal Accessories — Stainless Steel Toothed LockNuts – Metric thread

CE RoHS



Shell: SUS 304
Performance: RoHS compliant




P/N	Thread Size	H mm	SW mm	Reference No.	
GMES.M12	M12×1.5	2.8	15	9 00 039 0120 0	50
GMES.M16	M16×1.5	2.8	19	9 00 039 0160 0	50
GMES.M20	M20×1.5	3.0	24	9 00 039 0200 0	50
GMES.M25	M25×1.5	3.5	30	9 00 039 0250 0	20
GMES.M32	M32×1.5	4.5	36	9 00 039 0320 0	20
GMES.M40	M40×1.5	5.0	46	9 00 039 0400 0	10
GMES.M50	M50×1.5	5.0	60	9 00 039 0500 0	10
GMES.M63	M63×1.5	6.0	70	9 00 039 0630 0	5

GMES Metal Accessories — Stainless Steel Toothed LockNuts – PG thread

CE RoHS



Shell: SUS 304
Performance: RoHS compliant



P/N	Thread Size	H mm	SW mm	Reference No.	
GMES.PG7	PG7	2.8	15	9 00 039 1070 0	50
GMES.PG9	PG9	2.8	18	9 00 039 1090 0	50
GMES.PG11	PG11	3.0	21	9 00 039 1110 0	50
GMES.PG13.5	PG13.5	3.0	23	9 00 039 1130 0	50
GMES.PG16	PG16	3.0	26	9 00 039 1160 0	50
GMES.PG21	PG21	3.5	32	9 00 039 1210 0	20
GMES.PG29	PG29	4.0	41	9 00 039 1290 0	20
GMES.PG36	PG36	5.0	51	9 00 039 1360 0	10
GMES.PG42	PG42	5	60	9 00 039 1420 0	10
GMES.PG48	PG48	5.5	64	9 00 039 1480 0	5